

Michael Barugh

Steel Stockholding Ltd.



Clamp range

Clamp Range



101 ① ② ③ ④ ⑤



104 ① ② ③ ④ ⑤



116 ① ② ③ ④ ⑤



119 ① ② ③ ④ ⑤



125 ① ② ③ ④ ⑤



126 ② ③ ④



127 ② ③ ④



128 ① ② ③ ④ ⑤



129 ② ③ ④



130 ② ③ ④



131 ① ② ③ ④ ⑤



132 ① ② ③ ④ ⑤



134 ② ③ ④



135 ① ② ④ ⑤



138 and 140-4 ① ② ③ ④



143 ① ② ③ ④



144 ② ③ ④



145 ② ③ ④



146 ② ③ ④



147 ② ③ ④



148 ① ② ③ ④ ⑤



149 ① ② ③ ④ ⑤



150 ② ③ ④



158 ① ② ③ ④ ⑤



160 ① ② ③ ④ ⑤



161 ① ② ③ ④ ⑤



165 ② ③ ④ ⑤



167m ① ② ③ ④ ⑤



168m ① ② ③ ④ ⑤



169m



173 ① ② ③ ④ ⑤



173 ① ② ③ ④ ⑤



167 ① ② ③ ④ ⑤



169 ① ② ③ ④ ⑤



173 ① ② ③ ④ ⑤



176 ① ② ③ ④ ⑤



179 ① ② ③ ④



182 ② ③ ④



201



204



219



224



225



232



weldable elbows
1/2" NB to 4" NB





133



170/171

**we also stock
handrail standards**

disability slopes: 200 series range available 4-10% angle



Galvanised tube in lengths of approx 6.5 metres

Galvanised blackheart malleable iron fittings to BS6681, grade B32-10 with galvanising to BS EN 1461:1999

table of sizes

	TUBE DIA MM O/D	NOMINAL BORE
1	26.9	3/4"
2	33.7	1"
3	42.4	1 1/4"
4	48.3	1 1/2"
5	60.3	2"



Michael Barugh

Steel Stockholding Ltd.

English Street, Hull, East Yorkshire HU3 2BS

tel 01482 381890 **fax** 01482 381898

email info@mbsteel.co.uk

web www.mbsteel.co.uk